The New Kuwait German Laboratory
مختبر الكويتي الالماني الجديد

The State of Kuwait

Patient Name	: ALANAZI, IBRAHIM HOWRI T	Lab ID	: AO
Civil ID	:	Patient File	: 777161
Passport No.	: Z430073	Reg Date	: 27-02-2022
Age/sex	: 49/M	Sampling Date	: 27-02-2022 12:15 AM
Nationality	: SAUDI ARABIA	Result Date	: 27-02-2022 05:45 AM
Ref. Drs	: LAB	Serial Number	: LBAO-02-22-133388

MOLECULAR BIOLOGY REPORT

TEST	RESULT
SARS COV-2(COVID 19)	Negative

Sample type	:	VTM with Nasopharyngeal Swab
SARS COV-2(COVID19)	:	**Negative**
Negative	:	This test is a qualitative PCR Test. Not detected indicates that SARS-COV-2 RNA is either not present in the specimen or is present at a concentration below the assay lower limit of detection. this result may be influenced by the stage of infection and the quantity of specimen collected for testing.

Methodology: Real Time PCR

Remarks:

REAL TIME PCR COVID-19 detection kit is a real time PCR based in Vitro diagnostic Medical device that is designed to detect the infection of Novel Coronavirus SARS COV-2(COVID19) by examination of nucleic acid extracted from nasopharyngeal smears.

Note: Kindly Refer to appropriate Public Health Authorities (MOH)

مختبر الكويتي الالماني الجديد
The New Kuwait German Laboratory

Dr.Nermin Raafat
Doctors Signature